

KIDNKLEEN

ANTI GRAFFITI REPELLENT paint











Apollo Kid & Kleen is a specially formulated paint which repels harsh stains and also has Mosquito repellent properties, making it the most safe & ideal paint for kids' rooms.





FEATURES

- Anti-Graffiti Paint
- Heavy Duty Coating
- Rich Sheen
- Low VOC and Low Odour
- For Interior
- 100% family safe

USP

- Easy removal of harsh stains with slight scrubbing with water\detergent if required.
- It has mosquito repellent properties made out of 100% Natural Plant Extracts.
- Ideal for bare and coated surfaces
- Excellent Washability
- Repels Stains





APPLICATION SYSTEM

- Surface preparation: For fresh /new interior wall surfaces, sand the surface with emery paper no.80 & wipe clean.
- Apply a coat of Apollo's Aroprime water thinnable cement primer and allow it to dry for 4hours.
- Apply two or three thin coats of either Apollo's wall grace white cement based putty or Polo Silky smooth acrylic putty to get an undulation free surface.
- Sand the surface with emery paper no.100 and wipe clean.
- Apply a thin coat of Kid & Kleen as self-prime by thinning with clean potable water in the ratio of 1:1
- Sand the surface with emery paper no.220 and wipe clean.
- For Old/Previously painted surface Remove the old paint & loose particles before starting the above process.

Note: In the previously painted sites, where spot/touch up putty is done, apply a single coat of Apollo's Magic Sealer with appropriate dilution before applying finish paint is recommended.





FINISH COAT

- Apply a minimum of 2 coats of Kid & Kleen by thinning with 3 parts of paint with 1 part of clean potable water. Normally two coats of finish paint are sufficient for complete opacity & desired finish. Where a strong colour change is required, an extra coat of Kid & Kleen finish paint is recommended. Allow a minimum of 5 to 6 hours between coats.
- DO NOT OVER THIN.
- DO NOT APPLY TO MOIST OR DAMP SURFACES / SOILED OR DIRTY SURFACES / HORIZONTAL & PATHWAY SURFACES.

WARNING:

 Kid N Kleen Anti-Graffiti Coating is not suitable for surfaces such as plastic, floors or horizontal surfaces.

Shelf Life: 36 months from the date of manufacture in an original sealed condition.

Dilution: Apollo Kid & Kleen can be diluted by adding clean potable water up to a maximum of 400ml to 1 litre of paint.

Coverage: On a properly prepared surface, a coverage of 140 to 145 Sq.ft/ litre by brush/roller for 2 coats.





AVAILABLE PACK: 1ltr

Available Bases: KNC 2 & 7, KNC 11, KNC 13, KNC

15 & KNC 22.

RECOMMENDED PLACES OF APPLICATION:

Kids Rooms

DISCLAIMER:

The product information & application details given by the company & its agents has been provided in good faith & meant to serve only as a general guideline during usage. Users are advised to carry out tests & take trials to ensure on suitability of products meeting their requirements prior to full scale usage of our products, since the correct identification of problems, quality of other materials used and on-site workmanship are factors beyond our control. There is no expressed or implied guarantee / warranty as to the results obtained. The company does not assume any liability or consequential damage for unsatisfactory results arising from the use of our products.



An ISO 9001:2008 Company | ISO 14001:2004 Company

Read office:

#51th, 4th Main Road, 3rd Phase, Peenya Industrial Area, Bangalore - 560 058 t:+91 80 28394211 / +91 80 28395911 e: apollopaints@yahoo.com

www.apollopaintsindia.com

